

Tehnicki list

Plastična cev, kruta, bez halogena

Broj artikla: 2047725



Sistem elektroinstalacionih cevi od plastičnog materijala bez halogena EN 61386 (šifra:44321), za mehaničku zaštitu kablova.



Polikarbonat/Akrilnitril-Butadien-Stirol

Matični podaci

Broj artikla	2047725
Oznaka 1	Cev
Oznaka 2	bez halogena
Proizvođač	OBO
Dimenzija	Ø50, 3000mm
Boja	svetlo siva; RAL 7035
Materijal	Polikarbonat/akrilnitril-butadien-stirol
Najmanja prodajna jedinica	15
Jedinica količine	Metar
Težina	37,7 kg
Jedinica težine	kg/100 kom.


Tehnicki list

Plastična cev, kruta, bez halogena

Broj artikla: 2047725



Dimenzije



Dužina	3.000 mm
Dimenzija D	50 mm
Dimenzija L	3.000 mm
Dimenzija M (mm)	M50
Dimenzija t	2,1 mm

M50



3000

Tehnicki list

Plastična cev, kruta, bez halogena

Broj artikla: 2047725



Tehnički podaci

Ponašanje kod savijanja	kruto
Otpornost na pritisak	velika opterećenja (1250 N)
Upotrebna temperatura maks.	+ 90 °C
Upotrebna temperatura min.	- 15 °C
Veličina	M50
bez halogena	da
Šifra klasifikacije	0
Otpornost na udarce	velika opterećenja (2,0 kg/ 300 mm)